## AITKIN COUNTY CERTIFICATE OF INSTALLATION/NOTICE OF NONCOMPLIANCE

This certificate of	of installation/ <del>not</del>	tice of noncomplian	ce has been issued this
Aitkin Countr's	Subourface Sow	, 20 to certil	fy compliance\ <del>noncompliance</del> with tem Ordinance.
The premises of	overed by this co	age mealment bys artificate are legally	described as:
The premises co	overed by this ec	ortificate are legally	described as
Section	Township	Range	Lake
PERMIT NO		_ Owner Name	Lake
Address			
Installer Name _			
Type of System	Inspected		
Parcel Number_			
following: 1) Inspect	tion of the instal	lation or constructio	ee was based on No of the
reierence	a permit and ap	plication design.	
,	•		rdance with Subdivision 9.2 D of ent System Ordinance.
Altkiii Cot	arity 3 Oubsurfac	e ocwage meanic	in Oystem Ordinance.
Aitkin County's S shall serve as a	Subsurface Sewa Notice of Violation	age Treatment Syston:	t system is in noncompliance with tem Ordinance, then the following spections or investigations:
2) List of s	specific violation	s of Ordinance:	
3) Require	ements for corre	ction or removal of	violations:
4) Time so	chedule for com	pliance:	
turned over to the	ne Aitkin County	Attorney's Office for	will result in this matter being or further legal action, which may and/or imprisonment.
INSPECTOR SIG	SNATURE		

## SUBSURFACE SEWAGE TREATMENT SYSTEM INSPECTION FORM AITKIN COUNTY, MINNESOTA

Township	_ Date of Inspection	App. Number	
Owner			
Project Address		Installer	
City	_ Zip Code		
New Repair	-	DIST. or DROP BOX & TYPE	
SETBACKS:		TRENCHES, BEDS, OR GRAVELLESS LEACHFIELD:	
Buildings to tank(s)		Trench/Bed depth	
Buildings to drainfield		Trench/Bed length	
Well(s) 50' or 100'		Trench/Bed bottom width	
Lake/Creek/Wetland		Trench spacing	
		Drainfield rock below pipe	
SEPTIC TANKS: New	Existing	Size of gravelless pipe	
Number of tanks installed		Depth of backfill	
iquid capacity and type		Absorption area: square feet	
Type of baffle		lineal feet	
nspection pipes		MOUNDS:	
Manholes size		Percent slope	
Manhole to grade Yes N	lo	Upslope sand width	
		Downslope sand width	
PUMPS: New	Existing	Sideslope sand width	
Tank capacity and type		Drainfield rock below pipe Depth of sand below rock	
Pump manufacturer & model #			
Horsepower & GPM		Perforation size & spacing	
Feet of head		Pipe size & spacing	
Gallons per cycle		Dimensions of rock bed	
Size of discharge line		Dimensions of sand base	
Type & location of alarm Water meter		Final cover	
Inspector's Comments:		nstaller's Signature	
Rev:1/13 Whit	te – County Yellov	v – Applicant Pink - Installer	

Date: 10/8/2019		App #: 2019 - 448	35
PID: 29-1-0755		Permit #: <u>44280</u>	
Name: Kolars		System Installed: 72 HT	
Address: 20373 48	87 th St., McG.	Installer: Ernie Darlaw	
Building sb to tank(s):	14 DF:	Well: 50'+ Lake:	
Tank(s): Weiser 2	500 G	Pump(s):	
Pipes: 4" <u>68</u> 2"			
Alarm: Manual PU	WM or EC:		
MOUND			
Percent slope:	Clean sand depth: _	Perf size/spacing:	
Pipe size/spacing:	RB dime	ension:	H
Hons	ã G	487795+.	









