AITKIN COUNTY CERTIFICATE OF INSTALLATION/NOTICE OF NONCOMPLIANCE

This certificate of installation/notice of noncompliance has been issued this day of, 20 to certify compliance\noncompliance with Aitkin County's Subsurface Sewage Treatment System Ordinance.				
The premises co	overed by this ec	ortificate are legally	described as	
Section	Township	Range	Lake	
PERMIT NO		_ Owner Name	Lake	
Address				
Installer Name _				
Type of System	Inspected			
Parcel Number_				
following: 1) Inspect	tion of the instal	lation or constructio	ee was based on No of the	
reierence	a permit and ap	plication design.		
•	•		rdance with Subdivision 9.2 D of ent System Ordinance.	
Altkiii Cot	arity 3 Oubsurfac	e ocwage meanic	in Oystem Ordinance.	
Aitkin County's S shall serve as a	Subsurface Sewa Notice of Violation	age Treatment Syston:	t system is in noncompliance with tem Ordinance, then the following spections or investigations:	
2) List of s	specific violation	s of Ordinance:		
3) Require	ements for corre	ction or removal of	violations:	
4) Time so	chedule for com	pliance:		
turned over to the	ne Aitkin County	Attorney's Office for	will result in this matter being or further legal action, which may and/or imprisonment.	
INSPECTOR SIG	SNATURE			

SUBSURFACE SEWAGE TREATMENT SYSTEM INSPECTION FORM AITKIN COUNTY, MINNESOTA

Township Farm Island Date of Ins	2 <i>019 - 50 46</i> spection <u><i>5/15/20 20</i></u> App. Number <u>#4701</u>
Owner Ray + Colleen Rueb	Parcel Number <u>07-0-047708</u>
Project Address 30307 408 44 P/	Installer Selfinstalled 56431 72 HT (2)
	56431 TZHT(2)
New Repair Addition	DIST. or DROP BOX & TYPE
SETBACKS:	TRENCHES, BEDS, OR GRAVELLESS LEACHFIELD:
Buildings to tank(s) /5	Trench/Bed depth/
Buildings to drainfield <u>NA</u>	Trench/Bed length
Well(s) 50' or 100' 60' 6 5 W	Trench/Bed bottom width
Lake/Creek/Wetland 85	Trench spacing
	Drainfield rock below pipe
SEPTIC TANKS: New Existing	Size of gravelless pipe
Number of tanks installed 3 B+W 1500	Depth of backfill
Liquid capacity and type/500	Absorption area: square feet
Type of baffle Plastic	
Inspection pipes	MOUNDS:
Manholes size 24"	Percent slope
Manhole to grade Yes V No	Upslope sand width
•	Downslope sand width
PUMPS: New Existing V	Sideslope sand width
Tank capacity and type <u>Ex. 1500</u>	Drainfield rock below pipe
Pump manufacturer & model # Liberty LE	
Horsepower & GPM 0,4HP	Perforation size & spacing
Feet of head	Pipe size & spacing
Gallons per cycle	
Size of discharge line	Dimensions of sand base
Type & location of alarm Elec. on fank	Final cover
Water meter Elec. on HT	Final Covei
DRAWING OF SYSTEM: (include soils)	1500 Line Service Service Lake
	added to existing one holding tank.
Inspector's Signature Bryan Hargrave	Installer's Signature
Rev: 1/13 White County	Yellow – Applicant Pink - Installer













