AITKIN COUNTY CERTIFICATE OF INSTALLATION/NOTICE OF NONCOMPLIANCE

This certificate of installation/notice of noncompliance has been issued this day of, 20 to certify compliance\noncompliance with Aitkin County's Subsurface Sewage Treatment System Ordinance.				
The premises co	overed by this ec	ortificate are legally	described as	
Section	Township	Range	Lake	
PERMIT NO		_ Owner Name	Lake	
Address				
Installer Name _				
Type of System	Inspected			
Parcel Number_				
following: 1) Inspect	tion of the instal	lation or constructio	ee was based on No of the	
reierence	a permit and ap	plication design.		
,	•		rdance with Subdivision 9.2 D of ent System Ordinance.	
Altkiii Cot	arity 3 Oubsurfac	e ocwage meanic	in Oystem Ordinance.	
Aitkin County's S shall serve as a	Subsurface Sewa Notice of Violation	age Treatment Syston:	t system is in noncompliance with tem Ordinance, then the following spections or investigations:	
2) List of s	specific violation	s of Ordinance:		
3) Require	ements for corre	ction or removal of	violations:	
4) Time so	chedule for com	pliance:		
turned over to the	ne Aitkin County	Attorney's Office for	will result in this matter being or further legal action, which may and/or imprisonment.	
INSPECTOR SIG	GNATURE			

SUBSURFACE SEWAGE TREATMENT SYSTEM INSPECTION FORM AITKIN COUNTY, MINNESOTA

	2020-5971			
$m{J}$	n <u>6/17/2020</u> App. Number			
	Parcel Number <u>08-1-08140-0</u>			
Project Address 42610 30544 Pl.	Installer Rod Ken			
city Aitkin zip Code 56431 TZ HT				
New Repair	DIST. or DROP BOX & TYPE			
SETBACKS:	TRENCHES, BEDS, OR GRAVELLESS LEACHFIELD:			
Buildings to tank(s)	Trench/Bed depth			
Buildings to drainfield	Trench/Bed length			
Well(s) 50' or 100' 102' to tank	Trench/Bed bottom width			
Lake/Creek/Wetland 100'+ to Flemmy	Trench spacing			
	Drainfield rock below pipe			
SEPTIC TANKS: New Existing	Size of gravelless pipe			
Number of tanks installed	Depth of backfill			
Liquid capacity and type 1500 Tac Sewer	Absorption area: square feet			
Type of baffle Plastic	lineal feet			
Inspection pipes (Z) (b')	MOUNDS:			
Manholes size 24"	Percent slope			
Manhole to grade Yes V No	Upslope sand width			
	Downslope sand width			
PUMPS: New Existing	Sideslope sand width			
Tank capacity and type	Drainfield rock below pipe			
Pump manufacturer & model #	Depth of sand below rock			
Horsepower & GPM	Perforation size & spacing			
Feet of head	Pipe size & spacing			
Gallons per cycle	Dimensions of rock bed			
Size of discharge line/	Dimensions of sand base			
Type & location of alarm Manual on tank	Final cover			
Water meter				
DRAWING OF SYSTEM: (include soils)				
Inspector's Comments:				
Inspector's Signature Bryan Hargrave Installer's Signature				
Rev: 1/13 White – County Yellow – Applicant Pink - Installer				









