## AITKIN COUNTY CERTIFICATE OF INSTALLATION/NOTICE OF NONCOMPLIANCE

This certificate of installation/notice of noncompliance has been issued this day of, 20 to certify compliance\noncompliance with Aitkin County's Subsurface Sewage Treatment System Ordinance.				
Aitkin County's	Subaurface Sow	, 20 to certil	tom Ordinance vitoricompliance with	
The premises of	overed by this co	age mealment bys artificate are legally	described as:	
The premises co	overed by this ec	ortificate are legally	described as	
Section	Township	Range	Lake	
PERMIT NO		_ Owner Name	Lake	
Address				
Installer Name _				
Type of System	Inspected			
Parcel Number_				
following: 1) Inspect	tion of the instal	lation or constructio	ee was based on No of the	
reierence	a permit and ap	plication design.		
•	•		rdance with Subdivision 9.2 D of ent System Ordinance.	
Altkiii Cot	arity 3 Oubsurfac	e ocwage meanic	in Oystem Ordinance.	
Aitkin County's S shall serve as a	Subsurface Sewa Notice of Violation	age Treatment Syston:	t system is in noncompliance with tem Ordinance, then the following spections or investigations:	
2) List of s	specific violation	s of Ordinance:		
3) Require	ements for corre	ction or removal of	violations:	
4) Time so	chedule for com	pliance:		
turned over to the	ne Aitkin County	Attorney's Office for	will result in this matter being or further legal action, which may and/or imprisonment.	
INSPECTOR SIG	SNATURE			

## SUBSURFACE SEWAGE TREATMENT SYSTEM INSPECTION FORM AITKIN COUNTY, MINNESOTA

Township Weal Hard Date of Inspection	n <u>8/9/2021</u> App. Number <u>46/86</u>
Owner Nancy Sydloski	Parcel Number <u>36 - 0 - 036600</u>
Project Address 37553 St Hwy 18	Installer Kohl's Concepts
City Aitkin Zip Code 56	431 T2HT
New Repair	DIST. or DROP BOX & TYPE
SETBACKS:	TRENCHES, BEDS, OR GRAVELLESS LEACHFIELD:
Buildings to tank(s)	Trench/Bed depth
Buildings to drainfield	Trench/Bed length
Well(s) 50' or 100' <u>S W : 50 '</u>	Trench/Bed bottom width
Lake/Creek/Wetland Mille Lacs Lake: 53'	Trench spacing
	Drainfield rock below pipe
SEPTIC TANKS: New Existing	Size of gravelless pipe
Number of tanks installed	Depth of backfill
Liquid capacity and type 1500 Tac.	Absorption area: square feet
Type of haffle \( \begin{aligned} \lambda \lam	lineal feet
Inspection pipes (2) 6"	MOUNDS:
Manholes size 24"	Percent slope
Manhole to grade Yes V No No	Upslope sand width
	Downslope sand width
PUMPS: New Existing	Sideslope sand width
Tank capacity and type	Drainfield rock below pipe
Pump manufacturer & model #	Depth of sand below rock
Horsepower & GPM	Perforation size & spacing
Feet of head	Pipe size & spacing
Gallons per cycle	Dimensions of rock bed
Size of discharge line	Dimensions of sand base
Type & location of alarm Monual popup	Final cover
Water meter	
DRAWING OF SYSTEM: (include soils)	54. Huy 18
Inspector's Comments:	Mille hacs
Inspector's Signature Bryan Hargrave	In case the case of the case o
	Installer's Signatureow - Applicant Pink - Installer





