AITKIN COUNTY CERTIFICATE OF INSTALLATION/NOTICE OF NONCOMPLIANCE

This certificate of	of installation/ not	tice of noncomplian	ce has been issued this
Aitkin Countr's	Subaurface Sow	, 20 to certil	fy compliance\ noncompliance with tem Ordinance.
The premises of	overed by this co	age mealment bys artificate are legally	described as:
The premises co	overed by this ec	ortificate are legally	described as
Section	Township	Range	Lake
PERMIT NO		_ Owner Name	Lake
Address			
Installer Name _			
Type of System	Inspected		
Parcel Number_			
following: 1) Inspect	tion of the instal	lation or constructio	ee was based on No of the
reierence	a permit and ap	plication design.	
			rdance with Subdivision 9.2 D of ent System Ordinance.
Altkiii Cot	arity 3 Oubsurfac	e ocwage meanic	in Oystem Ordinance.
Aitkin County's S shall serve as a	Subsurface Sewa Notice of Violation	age Treatment Syston:	t system is in noncompliance with tem Ordinance, then the following spections or investigations:
2) List of s	specific violation	s of Ordinance:	
3) Require	ements for corre	ction or removal of	violations:
4) Time so	chedule for com	pliance:	
turned over to the	ne Aitkin County	Attorney's Office for	will result in this matter being or further legal action, which may and/or imprisonment.
INSPECTOR SIG	SNATURE		

AITKIN COUNTY, MINNESOTA 2021-7642 7/14/2021 = 2021-7642Date of Inspection 8/9/2021 = 46/84Parcel Number 31-0-049501 Zip Code <u>5643 /</u> New DIST. or DROP BOX & TYPE **SETBACKS:** TRENCHES, BEDS, OR GRAVELLESS LEACHFIELD: Buildings to tank(s) _/6 Trench/Bed depth_ Buildings to drainfield _50 Trench/Bed length Well(s) 50' or 100' DW! 80'+ to tan Trench/Bed bottom width Lake/Creek/Wetland_ Trench spacing___ Drainfield rock below pipe_ **SEPTIC TANKS:** Existing Size of gravelless pipe__ Number of tanks installed Depth of backfill Liquid capacity and type 1250 Ex Absorption area: square feet lineal feet Inspection pipes (1) 6" **MOUNDS:** 24" Manholes size_ Upslope sand width____ Manhole to grade Downslope sand width 10 Existing_ Sideslope sand width __ **PUMPS:** Drainfield rock below pipe 9^{-1} Tank capacity and type <u>520</u> Pump manufacturer & model #_ Horsepower & GPM _ Pipe size & spacing $\frac{1}{5}$ Dimensions of rock bed 10' Gallons per cycle ___ Size of discharge line $l \leq 6$ Dimensions of sand base 2.7 Final cover 12 "Cover over Type & location of alarm <u>Elec. on ta</u> Water meter____ A 0-4" 10 YR3/2_L 0-5% sf E 4-12" 10 YR5/3 L 5-10% cf B 12-18" (0 YK4/3 L 5-10% cf B+ 18"-24"+ 7.5 YK4/4 10-15% c4 **DRAWING OF SYSTEM: (include soils) Inspector's Comments** Bryan Hargrave Inspector's Signature Installer's Signature_

Rev:1/13

White - County

Yellow - Applicant

Pink - Installer

SUBSURFACE SEWAGE TREATMENT SYSTEM INSPECTION FORM















