

Aitkin County Replacement Tank Design

Property Owner: Thomas Whalen Date: 5/28/2022 Cell: 612-363-2863
 Mailing Address: 617 Carver Bluffs Pkwy Home Phone #: _____
 City: Carver State: MN Zip: 55315
 Site Address: 44609 285th Ln. Parcel Number: 07-0-071600
 City: Aitkin State: MN Zip: 56431
 Driving Directions if no address issued : _____

Legal Description : Part of Lot 3
 Sec : 32 Twp.: 46 Range : 27 Twp. Name : Farm Island
 Lake / River : Farm Island Lake / River Classification : RD

FLOW DATA

Number of Bedrooms : 3
 Dwelling Classification : I
 System Type : I
 Gallons per Day (GPD) : 450

Estimated Flow in Gallons per Day (GPD)

Bedrooms	Class I	Class II	Class III
2	300	225	180
3	450	300	218
4	600	375	256
5	750	450	294
6	900	525	332
7	1050	600	370
8	1200	675	408

WELLS

Deep Well : Existing Deep
 Shallow Well : None

Wells to be sealed (if Applicable) ? _____


SETBACKS

Tank(s) to Well : +50' Drainfield to Well : +50' Sewer Line to Well : +50'
 Tank(s) to House : +10' Drainfield to House : +50' Air Test NO
 Tank(s) to Property Line : +10' Drainfield to Property Line : NA

Additional System Notes and Information:

The existing drainfield was installed in 2009, 1st septic tank has a crack. This is for a tank replacement

Designer Name : Jeff Brummer License Number : L-1347
 Address : 14650 Agate Ridge Road City : Brainerd State : MN
 Zip Code : 56401 Home Phone # : _____ Cell: 218-821-0704
 E-Mail Address : brummerseptic@gmail.com

Designer Signature :  Date: 5/28/2022
 Page: 1 Of _____