Karen Wicklund Planning Call 09/14/2023 - 01-1-115300

- Neighbors to East (Teneyck) are 37 ft from OHW
- Neighbors to West (Daniels) are 78 ft from OHW
- Shoreline Averaging would put Wicklund's OHW setback at 77.5 ft
- Property line setbacks are 10 feet
- 349th Ln is a 33 ft wide Township road (Road setback was measured from center of road) 30 ft road setback off edge of road or 46.5 from center. (Tough to verify exact location since no property line pins were found)

Lot Notes

- Lot is 8609 sq/ft
- Roughly 1290 sq/ft building coverage would be allowed based on the allowed 15% impervious
- Lot is not large enough for a WOAS
- The two existing cabins and shed will need to be removed before construction of new cabin

Recommendations

- A survey of parcel will help on moving forward with future plans, establishing property lines,
 Identifying OHW, Identifying Road setback, Calculating square footage of lot, etc.
- Contact septic professional to get a septic design
- Have contractor estimate amount of fill/exaction needed for slab on grade cabin (30 cubic yards is allowed with a standard permit)


Planning Call by Brock Anderson Augh Auders




CERTIFICATE OF SURVEY

OF LOT 4 ANDERT'S CEDAR POINT SEC. 32, TWP. 47, RGE. 27 AITKIN COUNTY, MINNESOTA

CL 349TH LN



SCALE: 1 INCH = 30 FEET



- IRON MONUMENT FOUND
- 3/8 INCH DIA. RE-ROD WITH RLS CAP NO. 17774 ESTABLISHED
- · WELL
- O POWER POLE

BENCHMARK ELEVATION = 1203.0 60d SPK IN EAST SIDE OF DOUBLE BASSWOOD, AT GROUND SURFACE

BEARING DATUM IS BASED ON THE NORTH LINE OF LOT 4 HAVING A BEARING OF N66°24'00"E.

MARVIN KOHOUT REGISTERED LAND SURVEYOR PO BOX 384 AITKIN, MN 56431-0384 1-218-927-5452

I HEREBY CERTIFY THAT THIS SURVEY PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY REGISTERED LAND SURVEYOR UNDER THE LAWS OF THE STATE OF MINNESOTA.

REG. NO. 17774 DATE

