new

AITKIN COUNTY ENVIRONMENTAL SERVICES

APPLICATION for an OPERATING PERMIT FOR WASTEWATER TREATMENT AND DISPERSAL

PERMITTEE			PARCEL NUM	DLI\	
ADDRESS5	52805 Loon Ave	. Mc0	McGregor Mn 55760		
LEGAL DESCRI	PTIONlot 35 E	Big Sandy Lal	ke Highlands 5t	h Add.	
TELEPHONE #_	218-391-3058		GIS LOCATIO	N	•
construction management	site evaluation , operation, mo ; anticipated sy	and design; nitoring, ser ystem life, hy	estimated cos vice, compone draulic and org	t of syster nt replace	m ment, and
Type III beca	ause mottles at	8" and on cor	npacted soils.		
Type III 2 Be	Rockbed i	s 6' x 42'		kbed.	
PARAMETER	COMPLIANCE	SAMPLE	SAMPLE FREQUENCY	SAMPLE	REPORTING
PARAMETER	COMPLIANCE LIMIT 300 GPD	SAMPLE LOCATION	FREQUENCY Once a Month	SAMPLE TYPE	FREQUENCY Send Report to Aitkin Co.
FLOW	LIMIT	LOCATION	FREQUENCY		FREQUENCY Send Report to
FLOW 5-DAY BOD FOTAL NITROGEN	LIMIT	LOCATION	FREQUENCY Once a Month		Send Report to Aitkin Co.
FLOW 5-DAY BOD FOTAL NITROGEN FOTAL PHOSPHORUS	LIMIT	LOCATION	FREQUENCY Once a Month		FREQUENCY Send Report to Aitkin Co.
FLOW S-DAY BOD FOTAL NITROGEN FOTAL PHOSPHORUS	LIMIT	LOCATION	FREQUENCY Once a Month		FREQUENCY Send Report to Aitkin Co.
FLOW 5-DAY BOD FOTAL NITROGEN FOTAL PHOSPHORUS FSS FATS,OILS	LIMIT	LOCATION	FREQUENCY Once a Month		Send Report to Aitkin Co.
FLOW S-DAY BOD TOTAL NITROGEN TOTAL PHOSPHORUS TSS FATS,OILS AND GREASE TECAL COLIFORM	LIMIT	LOCATION	FREQUENCY Once a Month		FREQUENCY Send Report to Aitkin Co.
FLOW S-DAY BOD FOTAL NITROGEN FOTAL PHOSPHORUS SS FATS,OILS AND GREASE FECAL COLIFORM SEPARATION	LIMIT	LOCATION	FREQUENCY Once a Month		FREQUENCY Send Report to Aitkin Co.
FLOW S-DAY BOD FOTAL NITROGEN FOTAL PHOSPHORUS FATS,OILS AND GREASE FECAL COLIFORM SEPARATION DISTANCE	LIMIT	Event counter	FREQUENCY Once a Month or when present	TYPE	FREQUENCY Send Report to Aitkin Co. Once a year

C. MAINTENANCE PLANS

PARAMETER	LOCATION	FREQUENCY					
200		Once a month or when present					
300 GPD Calibrate pump out gallons	Read Event Counter Measure pump tank and calculate gallons pumped out per event	Once a month or when present Calibrate system when installed and in operation. Check calibration number at 1st year inspection and every one after					
Report monthly readings to Aitkin Co.	Keep records of monthly readings	Once a year submitt report to Aitkin Co					
Or inspector							
D. MITIGATION PLAN:							
Have system Inspe	ected						
I hereby certify with my signature as the designer, that all data for the operating permit application is true and correct to the best of my knowledge. I agree to indemnify and hold Altkin County harmless from loses, damages, costs and charges that may be incurred by the County because of the information submitted with this application.							
Jeff Brummer Signature	L-1347 License Number	10/31/2023 Date					
Jeff Brummer 14 Name (please print)	4650 Agate Ridge Rd Brainerd MN 5 Address	(218) 821-0704 Telephone #					

MAINTENANCE SERVICE, MONITORING AND INSPECTION CONTRACT FOR INDIVIDUAL SEWAGE TREATMENT SYSTEM

	It is hereby agreed this day of, by and between						
	(Inspector) and(Client)						
	(Client) Name & Address Wendy Gamache 52805 Loon Ave. McGregor Mn 55760						
Mailing	Street Address10 Farmstead Rd						
	City, State, Zip Esko MN 55733						
	That in consideration of the payments provided herein, the Inspector shall provide services to perform Preventative Maintenance, Monitoring and Inspection of the Individual Sewage Treatment System (ISTS) located at the property described in the Aitkin County Operating Permit.						
	Each inspection includes an examination of the ISTS followed by a written report to the client. This inspection report shall contain recommendations for operation and maintenance for failure-preventative measures, if any are deemed appropriate by the inspector and a list of recommended corrective measures or replacement parts. The Inspector is authorized to submit a copy of the report to the Aitkin County Environmental Services Department.						
	This contract does not assume any responsibilities or obligations, which are normally the responsibilities of the Client, as related to parts or labor and does not extend to cover any costs that may be associated with any recommendations made under this contract.						
	The Inspector can only contract or subcontract for parts or labor after authorization. Billings for service calls shall be made on a case by case basis. This contract only covers maintenance, monitoring and inspection services per current Aitkin County Operating Permit and does not cover alarm calls of any kind.						
	The Inspector shall be provided access to the site and the system in order to perform the following services:						
	SEPTIC TANK AND LIFT STATIONS INSPECTION						
	(check the boxes needed to fill the requirements of the Operating Permit)						
	Check septic tank and compartments for solids buildup and general appearance. If necessary, have tanks pumped (cost of pumping is the responsibility of the client).						
	Check effluent filter for buildup and clean, if applicable.						

	✓ Check pumping system, including control panel and floats.				
Owner	> X Record and date the readings of the elapsed time meter and cycle counter(s), if applicable. Owner is respondsible for monthly event counter readings				
	✓ Check dosing settings (in the control panel, if applicable).				
	Other:				
	**If the septic tank or lift stations need pumping to be in compliance with the operating permit the cost of the pumping is the responsibility of the Client.				
	TREATMENT DEVICE				
	Inspect pretreatment unit (aerobic tank, sand filter, etc.) per manufacturer's recommendations, if applicable.				
	Inspect and clean any parts per manufacturer's recommendations.				
	Inspect and clean laterals, if applicable.				
	Inspect the appearance of the wastewater inside the unit for color, turbidity and examination of odors.				
	Sample effluent per Operating Permit monitoring requirements.				
	(Cost of sampling and analysis is the responsibility of the Client)				
	Other:				
	DISPERSAL FIELD				
	Inspect for visible signs of failure (surface discharge, soggy ground, wet spots, settling, etc.)				
	✓ If liquid level monitors are installed, levels will be observed and recorded.				
	Flush filters and clean cartridges, if applicable.				
	Check field control unit solenoid operations or manual control, if applicable.				
	Other:				

In no event shall the Inspector be responsible for special or consequential damages, including but not limited to, loss of time, injury to personal property or any other consequential damages or incidental or economic loss due to equipment failure or for any other reason. This contract does not assume any responsibilities or obligations, which are normally, the responsibility of the Client or as, related to parts or labor and does not extend to cover any costs that may be associated with any recommendations made under this contract.

This contract shall be effective: Beginning At time of Certification of Compliance installation							
and Ending,,							
Cost for Maintenance Service, Monitoring and Inspection Contract is:							
\$/yr. For years totaling \$ To be Determind at time of service							
The Inspector agrees to provide inspection, monitoring and routine maintenance service only under this contract. The Client remedies for breach of this contract shall be limited to refund of any of the amounts paid in advance for service. This contract may be renewed 30 days from the ending date.							
Payment for all services shall be paidAt 1st inspection and every one after_							
Client:	Inspector:						
Sign: Wendy Lamarle	Sign:	Jeff Brummer					
Print: Wendy Gamache	Print:	Jeff Brummer					
Date: 1/18/24	Date:	10/31/2023					
		Brummer Septic LLC. 218-821-0704					
		14650 Agate Ridge Rd Brainerd MN 56401					
		brummerseptic@gmail.com					

{ Type III Design Notes for Owner and Installer } Property Owner: Wendy Gamache Installer's Initials: Date: 32-1-061900 52805 Loon Ave. McGregor Mn 55760 PIN: Site Address: This is a TYPE III Septic System, Operating Permit Required of Owner. Permit # Mottles at 8" and on compacted soils. Reason for Type III Description of System Type III 2 Bedroom Mound 36" washed sand under Rockbed. Rockbed is 6' x 42' 2nd Comp 1st Tank Gal. 1st compartment gal. 2nd Comp 2nd Tank Gal. 1st compartment gal. 3rd 3rd Tank Gal 1st compartment gal. 2nd Comp 1st Pump Brand and model # 1st Pump tank Gal. 1st Pump Ft. of Head 1st Pump Gal. per Dose 1st Pump GPM 1st Pump tank Gal. per inch. 1st Pump Inches per Dose 1st Pump Doses per Day 1st Pump Design GPD ______ 1st Pump Measured dose per day _____ Timed or demand Dose ____ Minutes OFF Inches Pumped after drainback Time Settings: Minutes ON Notes: 2nd Pump Brand and model # 2nd Pump tank Gal 2nd Pump Ft. of Head 2nd Pump Gal. per Dose 2nd Pump GPM 2nd Pump tank Gal. per inch. 2nd Pump Inches per Dose 2nd Pump Doses per Day 2nd Pump Design GPD 2nd Pump Measured dose per day Timed or demand Dose Time Settings: Winutes ON Winutes OFF inches Pumped after drainback Notes: 1st Alarm: Tank Reason: 2nd Alarm: Tank ______ Reason: Reason: 3rd Alarm: Tank Where is it located: Water Meter Installed on house hold water: Gal. Per Event

Where is Event Counter Located: Requirement of Operating Permit

Event counter Installed on pump: Which Pump:

Owner to UNDERSTAND System Operation: Required to do monthly readings of water meter or event counter.

Owner to record readings every month that system is being used, should know calculations for Gal. per day.

Owner to REPORT to Aitkin Co. once a year with log of monthly readings and annual Inspection Report

Owner to Hire an Inspector for a Once a year Inspection of the system's, Operation, Mechanical functions,

and Compliance with Operating Permit.