34753 390th Place • Aitkin, MN 56431

Phone: 218.927.4125 • Fax: 218.927.4471

Toll Free: 800.450.4125

info@rittersewer.com • www.rittersewer.com

### SEPTIC SYSTEM REVIEW FOR Ronald Kruger Operating Permit# 2 Parcel # 29-1-500300

Property located in Shamrock Township

July 11, 2016

We have been contracted to do the Maintenance & Monitoring on the above system, the system has a 2 compartment septic tank 1,820 gallons, a 1,000 gallon lift tank that is time dosed to an 10'x30' sand filter that treats sewage before it's pumped into a 10'x25' rock bed mound with only 24" of separation. The operating standards show only flows and separation need to be looked at. But after talking with the zoning office about this they would like BOD5, TSS and FECAL tested also.

The above mentioned property has a water meter installed on it. On June 1- 2015 the meter reading was 445,150. On June 1-2016 the meter reading was 461,120 with a difference of 15,970 gallons. With 15,970 gallons divided by 365 days =44 gallons per day average.

The system is set up for 300 gallons per day so I believe that we can put this system on a 5 year operating permit.

The tanks, effluent filter, pumps, floats, alarms and control panel will still be inspected ever year.

We have entered into a Maintenance, Monitoring and Inspection Contract with said property owner.

Sincerely,

Mark P. Ritter

Ritter Sewer & Excavating, Inc.

or titl

A. DESCRIPTION OF WASTEWATER TREATMENT AND DISPERSAL SYSTEM
10x30' SANDFILTER, 1830 SEPTIC TANK, 1000 GAL PUMPTANK, 10x25 MOUND WITH A
34x49' Sandbase

### B. PERFORMANCE STANDARD REQUIREMENTS:

During the period beginning on the effective date (issuance date) of this permit and lasting until this permits expiration date, the Permittee is authorized to discharge from the wastewater treatment unit to subsurface dispersal. No surface discharge is permitted. The following parameters must be monitored and the reuslts must be found within the compliance limits.

PARAMETER	COMPLIANCE LIMIT	SAMPLE LOCATION	SAMPLE FREQUENCY	SAMPLE TYPE	REPORTING FREQUENC	
Flow	300 gpd	Water Meter	MONTHLY	Record on Log Sheet	ANNUALLY	sec attacked
Separation	2' feet	Dispersal System	ANNUALLY	Measure in Field	ANNUALLY	rgood

### **C. MAINTENANCE REQUIREMENTS:**

PARAMETER	LOCATION	FREQUENCY
Flow	Water Meter	MONTHLY See afford ,
Pressurization of Laterals	Sand Filter	ANNUAL
Pumps, Floats & Alarms	Pump Chamber	ANNUAL 9000 L
Solids Removal & Water Tightness	Septic tank(s)	ANNUAL Fall 2015
Vegetative Cover	Dispersal System	ANNUAL 9 MASS 9000 V

### D. MONITORING AND REPORTING REQUIREMENTS:

Monitoring results obtained during each calendar year shall be submitted no later than December 31st of that year to:

Aitkin County Environmental Services 209 2nd Street NW Aitkin, MN 56431

The monitoring reports shall be signed by the Permittee. Copies are to be retained by the Permittee.

The Permittee shall notify Aitkin County Environmental Services within thirty (30) days when monitoring results do not meet the monitoring plan requirements of this permit.

Monitoring plans may be modified as necessary and reapproved by Aitkin County Environmental Services.

Sampling and laboratory testing procedures shall be performed in accordance with Standard Methods and the testing and shall be performed by a Minnesota Department of Health approved laboratory. All sampling and testing costs shall be the responibility of the Permittee.

Monitoring will be done by Jarola Fattey. Mark PRHe/



A.W. Research Laboratories, Inc. awlab.com 16326 Airport Road Brainerd, MN 56401

p: 218.829.7974

# Analysis Report

June 21, 2016

**REPORT TO:** 

RITTERS SEWER & EXCAVATING

34753 390TH PLACE **AITKIN MN 56431-**

Date Sampled:

Time Sampled: 09:30

Date Rcvd-Brnd: 6/15/2016

Time Rcvd-Brnd: 15:37

6/15/2016

Sampled by:

Sample Type:

Recv Temp °C:

MARK RITTER

WW 5.2

LOCATION:

RON KRUGER

INVOICE TO:

34753 390TH PLACE

**AITKIN MN 56431-**

MARK RITTER

RITTERS SEWER & EXCAVATING

SITE / ANALYTE	Analyzed Value MCL		Analytical Method	Analysis Date/Time	Analyst	Code #
SAND FILTER VAULT						
BOD (5 DAY), MG/L-C	LESS THAN 2.0*		SM 5210 B-01 online	6/16/2016 11:55	LR	39390B
FECAL COLIFORM, COLONIES/100 ML-C	10		SM 9222 D (m-FC)- 97 online	6/15/2016 16:20	LR	39390B
RESIDUE, NONFILTERABLE (TSS), MG/L-C	8.40		USGS I-3765-85	6/16/2016	LR	39390B

RESULTS ARE AN ESTIMATE, SAMPLE DILUTIONS DID NOT MEET DEPLETION REQUIREMENTS

Approved By

Date Approved: ( ) 21-16-

Sara Ahlers, Laboratory Director

A.W. Research Laboratories is Certified by the Minnesota Department of Public Health and follows approved methods and procedures. Minnesota Laboratory Cortification # 027-035-135. All data generated using certified methods noted as -NC, and all analyts for which certification is unavailable -NA. The results above relate only to the samples tested. This report must not be reproduced, except in full, without the written approval of the laboratory. Under the Safe Drinking Water Act (SDWA), EPA sets legal limits on the levels of certain contaminants in drinking water-these limits are indicated as Maximum Contaminant Levels of MCL on the report.

~End of Analysis Report~

AITKIN COUNTY ENVIRONMENTAL SERVICES-PLANNING & ZONING

209 Second Street, NW Room# 100

Aitkin, Minnesota 56431

PH: (218) 927-7342 FX: (218) 927-4372

3/17/2016

Demy Farley not service provider

RONALD KRUGER 8388 LOWER 138TH CT APPLE VALLEY, MN 55124Re: Operating Permit # 2
Zoning Permit #26569
Parcel ID#29-1-500300

Dear Permittee:

This letter is to remind you that the Operating Permit for the septic system at the above mentioned parcel is due for renewal this year. The enclosed Operating Permit was issued as part of the permit for your septic system and must be renewed.

Sund filter & mound W/ 1 ft Sandbase for 2 br

The Operating Permit for the current renewal period has been enclosed. If there are no changes to the Operating Permit, please submit the following to the County Office:

☐ the signed Operating Permit Contract

☐ the \$100 permit renewal fee

☐ the results of performance and maintenance activities

☐ a table of your water usage

We have checked all boxes above for information we have received. Please note, only complete applications will be accepted.

If your designer finds the system is operating in conformance with the Operating Permit, please have him/her submit a letter requesting to have the Operating Permit renewed for a longer period or to request terminating the Operating Permit. Our Office will determine if this is possible.

The performance and life expectancy of this septic system is dependent on regular monitoring and maintenance of all parts of the system. Your compliance with the Operating Permit will ensure continued performance of the system. Failure to perform the monitoring and maintenance of this system could cause costly repairs and/or replacement of this system. In addition, failure to comply with the monitoring, maintenance and reporting of the septic system is a violation of the Aitkin County's Subsurface Sewage Treatment System Ordinance and could be prosecuted by the County Attorney's Office.

All information required must be submitted to this Office by the expiration date referenced on your Operating Permit. We are notifying you to give you sufficient time to contact your designer and make any necessary changes, have samples taken and tested, tanks pumped, and any other activities that were required to meet the requirements of your permit.

Please contact our office with any questions regarding the renewal of this permit.

Sincerely,

Aitkin County Planning & Zoning

### **AITKIN COUNTY ENVIRONMENTAL SERVICES-PLANNING & ZONING**

209 Second Street, NW Room# 100

Aitkin, Minnesota 56431

PH: (218) 927-7342 FX: (218) 927-4372



7/18/2016

Re: Operating Permit #2
Zoning Permit #26569
Parcel #29-1-500300

RONALD KRUGER 8388 LOWER 138TH CT APPLE VALLEY, MN 55124-

Dear Permittee:

This letter is to inform you that your Operating Permit has been renewed until 5/31/2021 and the Operating Permit renewal period has been moved to a 5 YEAR based on the recommendation from your Operating and Maintenance provider.

Please adhere to your monitoring and maintenance contract including monitoring your water use. Failure to do so would violate the agreement to operate your system and could void the operating permit. You should contact your Operation and Maintenance provider directly with questions that you may have during the year.

Thank you for your good stewardship and we hope that your system continues to operate well, protecting groundwater for you and the environment.

Sincerely,

Aitkin County Planning & Zoning

# AITKIN COUNTY ENVIRONMENTAL SERVICES-PLANNING & ZONING 307 Second St NW Room# 219

Aitkin, Minnesota 56431

PH: (218) 927-7342 FX: (218) 927-4372

4/6/2021

RONALD KRUGER 8388 LOWER 138TH CT APPLE VALLEY, MN 55124 Re: Operating Permit # 2 Zoning Permit #26569 Parcel ID#29-1-500300

### Dear Permittee:

This letter is to remind you that the Operating Permit for the septic system at the above mentioned parcel is due for renewal this year by May 31st. The enclosed Operating Permit was issued as part of the permit for your septic system and must be renewed.

The Operating Permit for the current renewal period has been enclosed. If there are no changes to the Operating Permit, please submit the following to the County Office:

the signed Operating Permit (enclosed)

\$150 permit renewal fee (\$200 fee after May 31st)

the results of performance and maintenance activities
a table of your water usage

We have checked all boxes above for information we have received. Please note, only complete applications will be accepted.

If your designer finds the system is operating in conformance with the Operating Permit, please have him/her submit a letter requesting to have the Operating Permit renewed for a longer period or to request terminating the Operating Permit. Our Office will determine if this is possible.

The performance and life expectancy of this septic system is dependent on regular monitoring and maintenance of all parts of the system. Your compliance with the Operating Permit will ensure continued performance of the system. Failure to perform the monitoring and maintenance of this system could cause costly repairs and/or replacement of this system. In addition, failure to comply with the monitoring, maintenance and reporting of the septic system is a violation of the Aitkin County's Subsurface Sewage Treatment System Ordinance and could be prosecuted by the County Attorney's Office.

All information required must be submitted to this Office by the expiration date referenced on your Operating Permit. We are notifying you to give you sufficient time to contact your designer and make any necessary changes, have samples taken and tested, tanks pumped, and any other activities that were required to meet the requirements of your permit.

Please contact our office with any questions regarding the renewal of this permit.

Sincerely,

Aitkin County Planning & Zoning

Invoice #53556 (08/18/2021)

2. Zoning/Land Use Permit Applications Misc. (OFFICE USE ONLY) App. # App-2021-007950, UID # 203715

Ronald Kruger

(218) 927-7342

8388 Lower 138th CT, Apple Valley, MN 55124

Aitkin County Planning & Zoning / Environmental Services

307 Second St. NW Room 219

Aitkin, MN 56431

Phone: 218-927-7342 Fax: 218-927-4372

Email: aitkinpz@co.aitkin.mn.us

				Email: aitkinpz@	co.aitkin.mn.us		
Charge				Cost	Quantity	Total	Note
Operating Permit Renewal added 08/18/2021 2:08 PM				\$150.00	x 1	\$150.00	
\$150							
Grand Total							
					Total	\$150.00	
Payment #4858	5				'		
Method:	Check		15780				
Date:	08/18/2021	Note:	OP#2 2021 renewal				
Made By:	Ronald Kruger						
Confirmed By:	Shannon Wiebusch						



34753 390th Place • Aitkin, MN 56431 Phone: 218.927.4125 • 800.450.4125

rittersewer@hotmail.com •www.rittersewer.com

SEPTIC SYSTEM REVIEW FOR Ronald Kruger Parcel # 29-1-500300 Operating permit #2

Property located in Shamrock Township

July 01, 2021

The above mentioned property has an elapsed timer installed on it. On June 2016 the meter reading was 42,370. On May 2021 the meter reading was 43,824 with a difference of 1,454 min. So at 1,454 min. by 60 gallons per min. = 87,240 gallons divided by 1,795 days =48 gallons per day average.

The system is set up for 300 gallons per day so I believe that we can put this system on a 5 year operating permit.

The tanks, effluent filter, pumps, floats, alarms and control panel will still be inspected ever year.

We have entered into a Maintenance, Monitoring and Inspection Contract with said property owner.

Sincerely,

Mark P. Ritter

Ritter Sewer & Excavating, Inc.

# OPERATING PERMIT FOR WASTEWATER TREATMENT AND DISPERSAL RENEWAL

ISSUANCE DATE: 5 /31/2021 RENEWAL PERIOD: 5 YEAR OPERATING PERMIT #2
ZONING PERMIT #: 26569
PARCEL #: 29-1-500300

PERMITTEE:RONALD KRUGER

MAILING ADDRESS: 8388 LOWER 138TH CT APPLE VALLEY, MN 55124 TELEPHONE:

PROPERTY ADDRESS: 16251 GOSHAWK ST MCGREGOR, MN 55760

LEGAL DESCRIPTION: LOT 17 OBERNOLTES ADDN

Aitkin County Environmental Services authorizes the Permittee to operate a wastewater treatment and dispersal system located on the above described property in accordance with the requirements of this permit.

This permit is effective on the issuance date identified above.

This permit and the authorization to treat and disperse from the above system is valid through the renewal period identified above. The Permittee is not authorized to discharge after the renewal period. The Permittee shall submit such information and forms as required by Aitkin County Environmental Services no later than thirty (30) days prior to the expiration date. When the required information is submitted and approved by Aitkin County Environmental Services, the permit may be renewed. This permit is not transferable from owner to owner.

I hereby certify with my signature as the permittee that I understand the provisions of this permit including the maintenance and monitoring requirements. I agree to indemnify and hold Aitkin County harmless from all loss, damages, costs and charges that may be incurred by use of this system and if I fail to comply with the provisions of this Operating Permit. If I sell this property during the life of the permit, I will inform the new owner(s) of the permit requirements and the need to renew the permit.

Signature of Permittee

Date

8/18/21

Shannon W.

Date

Signature of Permitting Authority

If you have any questions regarding this permit, including the specific permit requirements, permit reporting or permit compliance status, please contact Aitkin County Environmental Services at 218-927-7342.

#### A. DESCRIPTION OF WASTEWATER TREATMENT AND DISPERSAL SYSTEM

10' x 30' Sandfilter & Mound with 1 foot sandbase for 2 bedroom.

### **B. PERFORMANCE STANDARD REQUIREMENTS:**

During the period beginning on the effective date (issuance date) of this permit and lasting until this permit's expiration date, the Permittee is authorized to discharge from the wastewater treatment unit to subsurface dispersal. No surface discharge is permitted. The following parameters must be monitored and the results must be found within the compliance limits.

PARAMETER	COMPLIANCE LIMIT	SAMPLE LOCATION	SAMPLE FREQUENCY	SAMPLE TYPE	REPORTING FREQUENC	
Fecal Coliform/TSS/BOD-5		Lift Station	Annually	Grab	ANNUALLY	See affected
Separation	2' feet	Dispersal System	ANNUALLY	Measure in Field	ANNUALLY	
Flow	300 gpd	Water Meter	MONTHLY	Record on Log Sheet	ANNUALLY	see atheld

### C. MAINTENANCE REQUIREMENTS:

PARAMETER	LOCATION	FREQUENCY		
Flow	Water Meter	MONTHLY		
Pressurization of Laterals	Sand Filter	ANNUAL		
Pumps, Floats & Alarms	Pump Chamber	ANNUAL		
Solids Removal & Water Tightness	Septic tank(s)	ANNUAL		

### D. MONITORING AND REPORTING REQUIREMENTS:

Monitoring results obtained during each calendar year shall be submitted no later than May 31st of that year to:

Aitkin County Environmental Services 307 2nd Street NW, Room 219 Aitkin, MN 56431

The monitoring reports shall be signed by the Permittee. Copies are to be retained by the Permittee. Any sampling and laboratory testing procedures shall be performed in accordance with Standard Methods at a Minnesota Department of Health approved laboratory. All sampling and testing costs shall be the responsibility of the Permitte. Monitoring plans may be modified as necessary and reapproved by Aitkin County Environmental Services.

The Permittee shall ntoify Aitkin County Environmental Services within thirty (30) days when monitoring results do not meet the monitoring plan requirements of this permit.

The owner has secured the services of **Mark Ritter** as the Service Provider or qualified individual for this system. The Service Provider or qualified individual is hereby authorized to report the required monitoring data and routine maintenance service records to Aitkin County Environmental Services.



**awlab.com** 218-829-7974 16326 Airport Road Brainerd, MN 56401

## Analysis Report

May 05, 2021

REPORT TO:

Ritter Sewer & Excavating Mark Ritter 34753 390th Place Aitkin MN 56431 INVOICE TO:

Ritter Sewer & Excavating Mark Ritter 34753 390th Place Aitkin MN 56431

Date Rcvd-Brnd: Time Rcvd-Brnd: 4/29/2021

Sampled By: Sample Type: Mark Ritter

ww

Recv Temp°C:

2.2 on ice

LOCATION:

Ronald Kruger

SITE / ANALYTE	Sample Date/Time	Analyzed Value	Units	Reporting Limit	Analytical Method	Analysis Date/Time	Analyst	Code #
Lift Station	4/29/2021 @ 08	3:00						
Biochemical Oxygen Demand, 5 Day		5.2 d	mg/L	2	HACH 10360 REV 1.2 (2011)	4/30/21 13:01	ND	045451
Fecal Coliform		< 100	MPN/100mL	1	COLILERT-18 (FECAL COLI)	4/29/21 15:50	CJS	045451
Residue-Nonfilterable (TSS)		3.2	mg/L	1	USGS I-3765-85	5/3/21 11:22	SZ	045451

d = Sample did not meet depletion requirements, results are an estimate

Approved By:

SawOhley

Date Approved:

5/5/2021

Sara Ahlers, Laboratory Director

A.W. Research Laboratories, Inc. is accredited by the MNELAP and follows approved methods and procedures. MN State Laboratory ID: 027-035-135 and EPA Lab Code: MN00098. All data generated using non-accredited methods noted as -NC, and all analytes for which accreditation is unavailable -NA. The results above relate only to the samples tested. This report must not be reproduced, except in full, without the written approval of the laboratory. We appreciate your feedback, please email us at awlab@awlab.com with questions or comments. Thank you!

~End of Analysis Report~



Lab Report Code: 045451 Page 1 of 1

### AITKIN COUNTY ENVIRONMENTAL SERVICES-PLANNING & ZONING

307 Second Street, NW Room# 219 Aitkin, Minnesota 56431

PH: (218) 927-7342 FX: (218) 927-4372

8/18/2021

RONALD KRUGER 8388 LOWER 138TH CT APPLE VALLEY, MN 55124

Re: Operating Permit # 2 Zoning Permit # 26569 Parcel # 29-1-500300

Dear Permittee:

This letter is to inform you that your Operating Permit has been renewed until 5/31/2026.

Please adhere to your monitoring and maintenance contract including monitoring your water use. Failure to do so would violate the agreement to operate your system and could void the operating permit. You should contact your Operation and Maintenance provider directly with questions that you may have during the year.

Thank you for your good stewardship and we hope that your system continues to operate well, protecting groundwater for you and the environment.

Sincerely,

Aitkin County Planning & Zoning

Shannon W